

City of Independence

PUBLIC WORKS DESIGN STANDARDS

*Last Updated **January 2023***
Originally adopted August 2018

City of Independence, Oregon
PO Box 7
Independence, OR 97351
(503) 838-4781

PUBLIC WORKS DOCUMENTS ORDER FORM

Name: _____

Company/Organization: _____

Address: _____

City: _____ State: _____ Zip _____

Phone: _____ Fax: _____

____ Copies of Independence Development Ordinance @ \$40.00\$ _____
____ Copies of Independence Zoning & Utility Maps @ \$40.00\$ _____
____ Copies of Public Works Design Standards @ \$45.00.....\$ _____
Postage & Shipping\$ _____

Total \$ _____

Make Checks Payable to the City of Independence **Prepaid Orders Only**
Add \$5.00 postage/shipping for orders that must be shipped (standard U.S. mail or UPS ground service).

Mail Orders to: City of Independence
PO Box 7
Independence, OR 97351

Available at: Independence City Hall
555 S. Main Street
Independence, OR 97351

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 1 GENERAL REQUIREMENTS	1-1
1.1 GENERAL	1-1
1.2 PURPOSE	1-2
1.3 ENGINEERING POLICY	1-3
1.4 DEFINITIONS AND TERMS	1-4
1.5 LOCATION OF UTILITIES WITHIN RIGHT-OF-WAY OR EASEMENT	1-9
1.6 PROVIDING FOR NEW & FUTURE DEVELOPMENT	1-10
1.7 TIME LIMITS FROM DRAWING APPROVAL TO CONSTRUCTION	1-12
1.8 PHASED DEVELOPMENT	1-12
1.9 REVIEW PROCEDURE	1-12
1.10 CONSTRUCTION DRAWING SUBMITTAL REQUIREMENTS	1-17
1.11 EASEMENTS, ETC.	1-34
1.12 PUBLIC WORKS VARIANCES TO DESIGN STANDARDS	1-37
1.13 PRECONSTRUCTION CONFERENCE	1-39
1.14 CONSTRUCTION OBSERVATION, INSPECTION & TESTING	1-40
1.15 WARRANTY INSPECTIONS :	1-46
1.16 AS-BUILT DRAWINGS	1-47
DIVISION 2 STREETS.....	2-1
2.1 PURPOSE	2-1
2.2 APPLICABILITY	2-1
2.3 SPECIAL ITEMS.....	2-3
2.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	2-3
2.5 CONSTRUCTION DRAWINGS.....	2-4
2.6 STANDARD DETAILS.....	2-4
2.7 EXISTING STREET CLASSIFICATIONS	2-4
2.8 OTHER JURISDICTIONS	2-5
2.9 DEFINITIONS AND TERMS	2-6
2.10 MATERIALS	2-9
2.11 IMPROVEMENT STANDARDS BY STREET CLASSIFICATION.....	2-12
2.12 STREET DESIGN MINIMUM SECTIONS	2-14
2.13 OVERLAYS.....	2-16
2.14 HORIZONTAL ALIGNMENT.....	2-17
2.15 MONUMENTATION	2-18
2.16 INTERSECTIONS & PEDESTRIAN CROSSINGS	2-18
2.17 VERTICAL ALIGNMENT AND STREET GRADES.....	2-21
2.18 STREET CROSS SECTIONS AND STREET CROSS SLOPES	2-22
2.19 GRADING WITHIN PUBLIC RIGHT-OF-WAY	2-23
2.20 CURBS AND GUTTERS	2-24
2.21 SIDEWALKS & MULTI-USE ACCESS ROUTES	2-25
2.22 CLEAR VISION AREA.....	2-28
2.23 CUL-DE-SACS, TURNAROUNDS	2-29
2.24 STUB STREETS, VEHICULAR NON-ACCESS PROVISIONS.....	2-30
2.25 TRANSITIONS	2-30
2.26 SUBSURFACE DRAINAGE.....	2-31
2.27 ACCESSIBLE ON-STREET PARKING	2-31
2.28 PARKING LOTS	2-32
2.29 DRIVEWAY SPACING & LOCATION	2-33
2.30 DRIVEWAYS, DRIVEWAY APPROACHES, ALLEYS.....	2-36
2.31 PRIVATE STREETS, COMMON DRIVEWAYS AND FLAGLOTS	2-39
2.32 STREET LIGHTING	2-42

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
2.33 BARRICADES AND GUARDRAILS.....	2-43
2.34 BIKEWAYS.....	2-43
2.35 STREET SIGNS.....	2-44
2.36 CUTTING EXISTING STREETS & RESTORATION REQUIREMENTS	2-44
DIVISION 3 STORMWATER MANAGEMENT	3-1
3.1 PURPOSE	3-1
3.2 APPLICABILITY	3-1
3.3 SPECIAL ITEMS.....	3-2
3.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	3-2
3.5 CONSTRUCTION DRAWINGS.....	3-3
3.6 STANDARD DETAILS.....	3-3
3.7 DEFINITIONS AND TERMS	3-4
3.8 MATERIALS	3-6
3.9 GENERAL DESIGN CONSIDERATIONS	3-11
3.10 DESIGN CALCULATIONS AND CAPACITY.....	3-14
3.11 OPEN CHANNELS	3-19
3.12 STORM DRAIN ALIGNMENT AND LOCATION	3-20
3.13 STORM DRAIN MINIMUM PIPE SIZE	3-22
3.14 STORM DRAIN MINIMUM COVER	3-23
3.15 STORM DRAIN MINIMUM SLOPE & ROUGHNESS COEFFICIENT	3-23
3.16 UNDERGROUND WARNING TAPE & TRACER WIRE	3-25
3.17 MANHOLES AND CATCH BASINS.....	3-25
3.18 DETENTION FACILITIES	3-29
3.19 STORMWATER QUALITY FACILITIES	3-36
3.20 PRIVATE STORM DRAINAGE COLLECTION SYSTEMS.....	3-43
3.21 INFILTRATION SYSTEMS, DRYWELLS AND FRENCH DRAINS.....	3-43
3.22 STORM DRAIN SERVICE LATERALS	3-45
DIVISION 4 SANITARY SEWER	4-1
4.1 PURPOSE	4-1
4.2 APPLICABILITY	4-1
4.3 SPECIAL ITEMS.....	4-2
4.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS.....	4-2
4.5 CONSTRUCTION DRAWINGS.....	4-3
4.6 STANDARD DETAILS.....	4-3
4.7 DEFINITIONS AND TERMS	4-3
4.8 MATERIALS	4-6
4.9 GENERAL DESIGN CONSIDERATIONS	4-12
4.10 DESIGN PERIOD	4-14
4.11 SEWER DESIGN BASIS & CAPACITY	4-14
4.12 SEWER MINIMUM SIZE	4-15
4.13 SEWER MINIMUM DEPTH.....	4-16
4.14 SEWER MINIMUM SLOPE & ROUGHNESS COEFFICIENT	4-16
4.15 SEWER ALIGNMENT AND LOCATION	4-18
4.16 MANHOLES AND MAINLINE CLEANOUTS	4-22
4.17 WORK ON EXISTING SEWERS	4-27
4.18 SEWER SERVICE LATERALS.....	4-30
4.19 PRIVATE COLLECTION SYSTEMS	4-34
4.20 UNDERGROUND WARNING TAPE & TRACER WIRE	4-36

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
DIVISION 5 WATER DISTRIBUTION	5-1
5.1 PURPOSE	5-1
5.2 APPLICABILITY	5-1
5.3 SPECIAL ITEMS.....	5-2
5.4 APPROVAL OF ALTERNATE MATERIALS AND METHODS	5-2
5.5 CONSTRUCTION DRAWINGS.....	5-3
5.6 STANDARD DETAILS.....	5-3
5.7 DEFINITIONS AND TERMS	5-3
5.8 MATERIALS.....	5-6
5.9 GENERAL DESIGN CONSIDERATIONS	5-20
5.10 WATER SYSTEM CAPACITY	5-21
5.11 LOOPING	5-23
5.12 BLOWOFFS.....	5-23
5.13 MINIMUM DEPTH	5-24
5.14 MINIMUM MAINLINE SIZE	5-25
5.15 WATERLINE ALIGNMENT AND LOCATION	5-25
5.16 VALVES	5-29
5.17 FIRE HYDRANTS.....	5-30
5.18 AIR RELEASE VALVES	5-32
5.19 WATER SERVICE LINES	5-33
5.20 WATER METERS	5-38
5.21 PRIVATE WATER SYSTEMS	5-41
5.22 BACKFLOW PREVENTION.....	5-42
5.23 UNDERGROUND WARNING TAPE & TRACER WIRE	5-44
5.24 MAINLINE BORED CROSSINGS	5-44

APPENDICES

APPENDIX A – STANDARD DETAILS & SAMPLE TEST REPORT FORMS

•A1 - General Requirements

Latest Revision

101	Typical Utility Locations (Curbed Streets)	8/22
102	Typical Utility Locations (Turnpike and 3/4 Streets)	8/22
115	Survey Monument Box (in Streets or Public Sidewalks).....	10/19

• A2 - Streets

Latest Revision

200	Major Arterial (Typical) Min AC/Baserock Sections (See 200A-200H, Lane Configs).....	8/22
200A	Major Arterial, Typical Generic Section without Turn Lane	8/22
200B	Major Arterial, Typical Generic Section with Turn Lane	8/22
200C	Major Arterial, Monmouth Str Typical, West of Ash Creek.....	8/22
200D	Major Arterial, Monmouth Str Typical, East of Ash Creek, No Turn Lane	8/22
200E	Major Arterial, Monmouth Str Typical, East of Ash Creek, Turn Lane	8/22
200F	Major Arterial, Monmouth Str Typical, Downtown Area.....	8/22
200G	Major Arterial, Main Str Typical, North of Downtown	8/22
200H	Major Arterial, Main Str Typical, Downtown.....	8/22
201	Minor Arterial (Typical) Min AC/Baserock Sections (See 201A-201B, Lane Configs).....	8/22
201A	Minor Arterial, Typical Generic Section without Turn Lane.....	8/22
201B	Minor Arterial, Typical Generic Section with Turn Lane.....	8/22

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>	
202	Collector Street (Typical) Min AC/Baserock Sections (See 202A-202C, Lane Configs).....	8/22
202A	Collector, Typical On-Street Parking, ADT <2,000.....	8/22
202B	Collector, Typical No Parking, Bike Lanes, ADT >2,000.....	8/22
202C	Collector, Typical Turn Lane, Bike Lanes, ADT >2,000.....	8/22
203A	Commercial Street Min AC/Baserock Sections.....	8/22
203B	Industrial Street Min AC/Baserock Sections.....	8/22
204	Local Residential Street (Typical) Min AC/Baserock Sections (See 204A-204C, Lane Configs).....	8/22
204A	Local Residential, Parking Both Sides.....	8/22
204B	Local Residential, Parking One Side.....	8/22
204C	Local Residential, No Parking.....	8/22
205	Standard Cul-de-sac (Residential).....	8/18
206	Offset Cul-de-sac (Residential).....	8/18
207	Eyebrow Cul-de-sac (Residential).....	8/18
210	Type "A" Curb and Gutter and Weephole.....	12/22
210A	Service Crossing Curb and Gutter Stamp (Water, Sewer, Storm).....	11/18
211	Type "C" Curb and Weephole.....	12/22
212	Curblin Sidewalks and Driveway Apron.....	2/21
212A	Residential D/W Apron at Positive Grade D/W'S, Curblin Sidewalk.....	9/21
212B	Residential D/W Apron at Adverse Grade D/W'S, Curblin Sidewalk.....	9/21
213	Property Line Sidewalks and Driveway Apron.....	2/21
213A	CBU Mailbox & Ramp w/ Property Line Sidewalk.....	10/21
213B	24" Deep, 30"φ, 4 Panel Root Barrier Tree Wells.....	2/19
213C	24" Deep, 38"φ, 5 Panel Root Barrier Tree Wells.....	2/19
214A	Intersection Curb Ramps, Curblin Sidewalks, Local Streets.....	8/22
214A1	Intersection Curb Ramps, Curblin Sidewalks, Local Streets (Alt).....	8/22
214B	Intersection Curb Ramps, Property Line Sidewalks, Local Streets.....	8/22
214C	Curb Ramps Between Intersections.....	8/22
216	Commercial/Industrial Driveway Approach (High-Volume Truck Option).....	12/22
217	Curb Cut for New Driveways or Pedestrian Ramp on Existing Curb.....	2/22
218	Concrete Valley Gutter (typ for use in alleys and parking lots).....	8/20
219	AC Street Cut for Street Widening or Extension.....	8/18
220	Fire Code/Fire Lane Hammerhead Turnaround (Private Drives Only).....	12/22
225	Street Barricade (Stub Streets).....	8/18
226	6-inch Bollard (Guard Post).....	3/22
227	8-inch Bollard (Guard Post).....	3/22
228	30" Tall Collapsible Padlockable Bollard.....	3/22
230A	Cobra Head Street Light (Typical Pole & Base).....	10/19
231	Sign Post for Street Signs, Stop Signs & Traffic Control Signs.....	10/20
232	Sign Post with TeleSpar Base & Anchor (Required in ODOT R.O.W).....	10/20
235	Offstreet Parking Dimensions, One Way Traffic Flow.....	7/22
236	Offstreet Parking Dimensions, Two Way Traffic Flow.....	7/22
237	Double Accessible Parking Space.....	9/21

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
238 Accessible Routes and Crossings in Vehicular Areas	9/21
239 Precast Wheelstop Detail.....	8/18
240 TrueGrid ProPlus Industrial Grade Modular Non-Paved Surface System.....	12/22
250 Trash and Recycling Enclosure	8/18
• A3 – Stormwater Management	Latest Revision
▶ For full size manholes, see Details 401 – 403A	
▶ For storm sewer service laterals, see Details 415 & 416	
▶ For bore casing detail, see Detail 508	
301 Trench Backfill, Bedding and Pipe Zone	2/20
302 Minor or Private Street & AC Driveway Cut Surface Restoration	8/18
302A AC Street Cut Surface Restoration w/Bench Grind.....	8/18
302D ODOT Trench Crossing, Trench Backfill & Surface Restoration	11/22
303 Gravel Surface Restoration	8/18
304 Native Surface Restoration	8/18
311 Oversize Side-Inlet Grated Catch Basin	9/20
312 Catch Basin Grate Details	8/18
313 Type 3 Ditch Inlet Catch Basin	9/20
313A Storm Outlet Energy Dissipator Basin	9/20
314 Curb-Inlet Catch Basin	9/20
315 Parking Lot Catch Basin (Precast Concrete)	8/18
316 Parking Lot Catch Basin (Lynch Style)	8/18
317 Parking Lot Catch Basin (Traffic Rated PVC w/Trap, Ductile Iron Frame/Grate)	8/18
320 Pollution/Flow Control Manhole	3/22
330 Kuenzi Manhole (Sewer Pipe Crossing)	7/22
331 Kuenzi Manhole w/Waterline Casing (Existing Waterline).....	7/22
332 Kuenzi Manhole w/Waterline Casing (New Waterline)	7/22
350 24" Diameter Storm Manhole	7/22
351 24" Diameter Storm Manhole (Traffic Rates PVC w/Solid Ductile Iron Frame/Cover).....	8/18
355 Private Area Drain, Non-Traffic Areas	7/22
362 Concrete Pipe End Cap with Grate.....	9/21
370A Trash Trap & Leach Line Plan	2/20
370B Trash Trap & Leach Line Details	2/20
371 Stormwater Planter	2/20
Test Reports	
▶ Storm Drain Mandrel Test Report	
▶ Storm Drain Pipeline TV Inspection Report	

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
• A4 – Sanitary Sewers	
	Latest Revision
▶ For trench backfill and surface restoration, see Details 301 – 304	
▶ For bore casing detail, see Detail 508	
401 Standard Manhole for 21" Pipe and Smaller (Sewer & Storm)	8/22
402 Flattop Manhole for 21" Pipe and Smaller (Sewer & Storm)	7/22
403 Manhole for 24" and 27" Pipe (Sewer & Storm)	7/22
403A Deep Manhole for 24" and 27" Pipe (Sewer & Storm)	7/22
404 Inside Drop Connection for Sanitary Sewer Manhole	3/22
405 Manhole Frame and Cover (Standard and Suburban)	8/18
406 Lockdown Manhole Frame and Cover	8/18
407 Manhole Rim Adjustment Details	8/22
411 Mainline Cleanout	8/20
415 Sewer & Storm Service Lateral	12/22
416 Standard Service Lateral Cleanout (Sewer & Storm)	8/22
419 Inserta-Tee Connection to Existing Sewer or Storm Drain	8/18
Test Reports	
▶ Sanitary Sewer Manhole Vacuum Test Report	
▶ Sanitary Sewer Air Test Report	
▶ Sanitary Sewer Mandrel Test Report	
▶ Sanitary Sewer Pipeline TV Inspection Report	
• A5 – Water Distribution	
	Latest Revision
▶ For trench backfill and surface restoration, see Details 301 - 304	
501 Gate Valve and Valve Box Detail	12/22
502 Butterfly Valve and Valve Box Detail	12/22
503 Standard Fire Hydrant Assembly	9/22
505 Tapping Tee and Valve	9/18
506 Mainline Blowoff Assembly	8/22
507 Standard Blowoff with Plugged End	8/22
508 Bore Casing, Carrier Pipe & Casing Spacer Detail	8/18
510 Horizontal Thrust Blocking	8/18
511 Straddle Block for 12" & Smaller Pipe	12/21
512 Vertical Thrust Blocking	8/18
515 Typical 1" Water Service	12/22
516 1½" and 2" Meter Set with 1" High Bypass	8/22
517 Tapping Requirements, 1½" & Larger Service	12/22
518 1" Combination Air Release Valve (CARV)	3/20
523 3" Domestic Water Meter	11/22
524 4" Domestic Water Meter	11/22
525 6" Domestic Water Meter	11/22
526 8" Domestic Water Meter	11/22
527 Water Meter Vault Bypass Valve Lock	8/18
528 Water Meter Test Port Assembly	8/18

**CITY OF INDEPENDENCE
PUBLIC WORKS DESIGN STANDARDS**

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
529	Galvanized Pipe Supports w/Galvanized Ext Pipe.....	8/18
531	2" & Smaller Double Check Valve Assembly	8/22
541	2" & Smaller Reduced Pressure Backflow Assembly.....	8/22
543	3" Reduced Pressure Backflow Assembly	9/21
544	4" Reduced Pressure Backflow Assembly	9/21
545	6" Reduced Pressure Backflow Assembly	9/21
550	Fire Service Line Connection Requirements (1½" & Larger Service)	8/18
554	4" Double Check Detector Assembly w/FDC.....	1/20
555	6" Double Check Detector Assembly w/FDC.....	1/20
556	8" Double Check Detector Assembly w/FDC.....	1/20
559	4" Forward Flow Test Port inside DCDA Vault (For NFPA 13 & 25 Tests).....	11/18
560	Below Grade Check Valve & Ball Drip Valve, in Close Bottom Drain Structure	8/22
561	Below Grade Check Valve & Ball Drip Valve, in Open Bottom Drain Structure.....	9/22
562	FDC Line Ball Drip Drain Valve (Check Valve in Building), Open Bottom Drain Structure	9/22

Test Reports

- ▶ Waterline Pressure Test Report

• A6 - Erosion Control

610	Temporary Construction Entrance	8/18
611	Sediment Barriers	8/18
612	Straw Wattle Sediment Barrier	8/18
613	Inlet Sediment Control	8/18
614	Ditch & Swale Protection	8/18
615	Silt Sack Inlet Detail	8/18
616	Temporary Concrete Washout Area (CWA).....	11/18
617	Stockpile Cover Detail.....	1/19

APPENDIX B - Standard Construction Notes

APPENDIX C - Utility Companies And Agencies

APPENDIX D - Standard Easement Forms, Etc.

APPENDIX E - Sample Insurance Certificates

APPENDIX F - Adopting Ordinance & Resolutions

APPENDIX G - Construction Drawing Review, Public Works Permit, Construction Requirements & Procedures

APPENDIX H – Stormwater Detention Systems, Purpose & Example Summary

PREFACE

These design standards have been developed by the City of Independence to provide a uniform set of standards for public improvements. The intent of these standards is to provide guidelines for the construction of public facilities that will provide an adequate service level for the present as well as for future development. The format has been kept brief and no attempt has been made to cover all possible situations or to provide lengthy explanations.

These design standards are intended to be used in conjunction with the City's PWCS - Public Works Construction Standards (*ie. the Oregon Standard Specifications for Construction – OSSC (ODOT/APWA), most recent edition except as otherwise noted herein*). The PWCS are subject to the material, equipment and provisions specified in these PWDS. In the event of discrepancies between the requirements in these PWDS and the Public Works Construction Standards (PWCS) or between the text of these PWDS and the standard details, the more stringent requirements as determined by the City Engineer and Public Works Director shall apply.

Copies of these design standards can be obtained from City of Independence, Oregon , PO Box 7 , Independence, OR 97351 .

It is anticipated that revisions to the design standards will be made from time to time. The date appearing on the title page is the date of latest revision of the text portion of the standards. The date appearing on the details is the date of latest revision of that particular detail.